

Rochester Institute of Technology

## RIT Digital Institutional Repository

---

Presentations and other scholarship

Faculty & Staff Scholarship

---

9-1-2007

### On the Origin of Hyperfast Neutron Stars

Vasilii V. Gvaramadze  
*Moscow State University*

Alessia Gualandris  
*Rochester Institute of Technology*

Simon P. Zwart  
*University of Amsterdam*

Follow this and additional works at: <https://repository.rit.edu/other>

---

#### Recommended Citation

Gvaramadze, V., Gualandris, A., & Zwart, S. (2007). On the Origin of Hyperfast Neutron Stars. *Proceedings of the International Astronomical Union*, 3(S246), 365-366. doi:10.1017/S1743921308015962

This Conference Paper is brought to you for free and open access by the RIT Libraries. For more information, please contact [repository@rit.edu](mailto:repository@rit.edu).

# On the origin of hyperfast neutron stars

V.V. Gvaramadze<sup>1</sup>, A. Gualandris<sup>2</sup>  
and S. Portegies Zwart<sup>3</sup>

<sup>1</sup>Sternberg Astronomical Institute, Moscow State University, Universitetskij Pr. 13, Moscow 119992, Russia  
email: vgvaram@mx.iki.rssi.ru

<sup>2</sup>Center for Computational Relativity and Gravitation, Rochester Institute of Technology, 85 Lomb Memorial Drive, Rochester, NY 14623, USA  
email: alessiag@astro.rit.edu

<sup>3</sup> Astronomical Institute ‘Anton Pannekoek’ and Section Computational Science, University of Amsterdam, Kruislaan 403, 1098 SJ, Amsterdam, the Netherlands  
email: spz@science.uva.nl

**Abstract.** We propose an explanation for the origin of hyperfast neutron stars (e.g. PSR B1508+55, PSR B2224+65, RX J0822–4300) based on the hypothesis that they could be the remnants of a *symmetric* supernova explosion of a high-velocity massive star (or its helium core) which attained its peculiar velocity (similar to that of the neutron star) in the course of a strong three- or four-body dynamical encounter in the core of a young massive star cluster. This hypothesis implies that the dense cores of star clusters (located either in the Galactic disk or near the Galactic centre) could also produce the so-called hypervelocity stars – the ordinary stars moving with a speed of  $\sim 1\,000\text{ km s}^{-1}$ .

**Keywords.** Stars: neutron, pulsars: general, pulsars: individual (B1508+55), galaxies: star clusters, methods: n-body simulations

---

## 1. Introduction

Recent proper motion and parallax measurements for the pulsar PSR B1508+55 (Chatterjee et al. 2005) gave the first example of a high velocity ( $1\,083_{-90}^{+103}\text{ km s}^{-1}$ ) *directly* measured for a neutron star (NS). A possible way to account for extremely high velocities of NSs<sup>†</sup> is to assume that they are due to a natal kick or a post-natal acceleration (Chatterjee et al. 2005). In this paper, we propose an alternative explanation for the origin of hyperfast NSs (cf. Gvaramadze 2007) based on the hypothesis that they could be the remnants of *symmetric* supernova (SN) explosions of hypervelocity stars [HVSs; the ordinary stars moving with extremely high ( $\sim 1\,000\text{ km s}^{-1}$ ) peculiar velocities; e.g. Brown et al. 2005]. A strong argument in support of this hypothesis comes from the fact that the mass of one of the HVSs is  $\geq 8 M_{\odot}$  (Edelmann et al. 2005) so that this star ends its evolution in a type II SN leading to the production of a hyperfast NS.

## 2. Hypervelocity stars and young massive star clusters

It is believed that the origin of HVSs could be connected to scattering processes involving the supermassive black hole (BH) in the Galactic centre (Hills 1988; Yu & Tremaine 2003; Gualandris et al. 2005). It is therefore possible that the progenitors of some hyperfast NSs were also ejected from the Galactic centre. The proper motion and parallax

<sup>†</sup> Other possible examples of hyperfast NSs are PSR B2224+65 (Chatterjee & Cordes 2004) and RX J0822-4300 (Hui & Becker 2006).

measured for PSR B1508+55, however, indicate that this NS was born in the Galactic disk (Chatterjee et al. 2005). The kinematic characteristics of some high-velocity early B stars also suggest that these objects originated in the disk (e.g. Ramspeck et al. 2001). We consider the possibility that the HVSSs (including the progenitors of hyperfast NSs) could be ejected not only from the Galactic centre but also from the cores of young ( $< 10^7$  yr) massive ( $\sim 10^4 - 10^5 M_\odot$ ) star clusters (YMSCs), located either in the Galactic disk or near the Galactic centre (cf. Gualandris & Portegies Zwart 2007).

### 3. Origin of hyperfast neutron stars

To check the hypothesis that the hyperfast NSs could be the descendants of HVSSs which were ejected from the cores of YMSCs, we calculated (see Gvaramadze et al. 2008) the maximum possible ejection speed produced by dynamical processes involving close encounters between: *i*) two hard (Heggie 1975) massive binaries (e.g. Leonard 1991), *ii*) a hard binary and an intermediate-mass ( $\sim 100 - 1000 M_\odot$ ) BH (e.g. Portegies Zwart & McMillan 2002), and *iii*) a single star and a hard binary intermediate-mass BH (e.g. Gürkan et al. 2006). We find that main-sequence O-type stars cannot be ejected from YMSCs with peculiar velocities high enough to explain the origin of hyperfast NSs, but lower mass main-sequence stars or the stripped helium cores of massive stars could be accelerated to hypervelocities. We find also that the dynamical processes in the cores of YMSCs can produce stars moving with velocities of  $\sim 200 - 400 \text{ km s}^{-1}$  which therefore contribute to the origin of high-velocity NSs as well as to the origin of the bound population of halo stars (Ramspeck et al. 2001; Brown et al. 2007).

### Acknowledgements

V. V. G. acknowledges the International Astronomical Union and the Russian Foundation for Basic Research for travel grants. A. G. is supported by grant NNX07AH15G from NASA. S. P. Z. acknowledge support from the Netherlands Organization for Scientific Research (NWO under grant No. 635.000.001 and 643.200.503) and the Netherlands Research School for Astronomy (NOVA).

### References

- Brown, W.R., Geller, M.J., Kenyon, S.J., & Kurtz, M.J. 2005, *ApJ* 622, L33  
 Brown, W.R., Geller, M.J., Kenyon, S.J., Kurtz, M.J., & Bromley, B.C. 2007, *ApJ* 660, 311  
 Chatterjee, S., & Cordes, J.M. 2004, *ApJ* 600, L51  
 Chatterjee, S., Vlemmings, W.H.T., Briskin, W.F., et al. 2005, *ApJ* 630, L61  
 Edelmann, H., Napiwotzki, R., Heber, U., Christlieb, N., & Reimers, D. 2005, *ApJ* 634, L181  
 Gualandris, A., & Portegies Zwart, S. 2007, *MNRAS* 376, L29  
 Gualandris, A., Portegies Zwart, S., & Sipior, M.S. 2005, *MNRAS* 363, 223  
 Gürkan, M.A., Fregeau, J.M., & Rasio, F.A. 2006, *ApJ* 640, L39  
 Gvaramadze, V.V. 2007, *A&A* 470, L9  
 Gvaramadze, V.V., Gualandris, A., & Portegies Zwart, S. 2008, *MNRAS*, in press (*astro-ph/0702735*)  
 Heggie, D.C. 1975, *MNRAS* 173, 729  
 Hills, J.G. 1988, *Nat* 331, 687  
 Hui, C.Y., & Becker, W. 2006, *A&A* 457, L33  
 Leonard, P.J.T. 1991, *AJ* 101, 562  
 Portegies Zwart, S.F., & McMillan, S.L.W. 2002 *ApJ* 576, 899  
 Ramspeck, M., Heber, U., & Moehler, S. 2001, *A&A* 378, 907  
 Yu, Q., & Tremaine, S. 2003, *ApJ* 599, 1129